Contents

Letters to the Editor

Practical determination of the spatial correlation function Blanchard, A., Alimi, JM.	L1	Liner, H II region-like, and Seyfert nuclei Giuricin, G., Mardirossian, F., Mezzetti, M.	39
NGC 2214: A merging binary star cluster in the Large Magellanic Cloud?	-	A molecular ring in the nucleus of the barred spiral galaxy NGC 1097	
Bhatia, R.K., MacGillivray, H.T.	L5	Gerin, M., Nakai, N., Combes, F.	44
CO emission in NGC 4438: A case for tidal stripping? Combes, F., Dupraz, C., Casoli, F., Pagani, L.	L9	Three-color surface photometry of a selected sample of early-type galaxies. II. Color gradients Vader, J.P., Vigroux, L., Lachièze-Rey, M.,	
A brown dwarf companion as an explanation of the asym-			217
metry in the β Pictoris disk Whitmire, D.P., Matese, J.J., Tomley, L.J.	L13	Brackett γ observations and extinction in giant H $\scriptstyle\rm II$ regions in M 101	
A dark matter gravitational accretion scenario for E galaxy		Skillman, E.D., Israel, F.P.	226
activity Valentijn, E.A.	L17	Jet-like morphology of ionized gas due to a UV-radiation cone	
Speckle masking observations of η Carinae	7.04	Schulz, H.	23:
Hofmann, KH., Weigelt, G. Detection of CH and CH ⁺ in a high latitude molecular	L21	H1 observations of galaxies in the Kraan-Korteweg-Tam- mann catalogue of nearby galaxies. III. Global parameters of the galaxies	
cloud de Vries, C.P., van Dishoeck, E.F.	L23	Huchtmeier, W.K., Richter, OG.	23
LHG 87, a new low-mass eclipsing X-ray binary in the	1.23	New active galactic nuclei from the IRAS deep fields Keel, W.C., de Grijp, M.H.K., Miley, G.K.	250
LMC Pakull, M.W., Beuermann, K., van der Klis, M., van Paradijs, J.	L27	Extranuclear [O III] in IR excess Seyfert galaxies van Heerde, G.M.	25:
		Gas dynamics in interacting disc galaxies; fuelling of nuclei by induced bars	
Cosmology		Noguchi, M.	259
Coupling of modes in Newtonian cosmology and the formation of primordial objects		A bimodal model for the galaxy luminosity function Schaeffer, R., Silk, J.	27:
Mücket, J.P., Haubold, H.J., Müller, V., Gottlöber, S., Mathai, A.M.	211	Infrared spectroscopy of [Fe II], H ₂ and H line emission in galactic nuclei	27
		Moorwood, A.F.M., Oliva, E.	278
Extragalactic astronomy			
Five years monitoring of extragalactic radio sources. II.		Galactic structure and dynamics	
Quiescent spectra and the evolution of outbursts Valtaoja, E., Haarala, S., Lehto, H., Valtaoja, L., Valtonen, M., Moiseev, I.G., Nesterov, N.S.,		Cosmic gamma rays and the mass of gas in the Galaxy Richardson, K.M., Wolfendale, A.W.	289
Salonen, E., Teräsranta, H., Urpo, S., Tiuri, M.	1	•	
The H _I -properties of bright southern galaxies		Stellar clusters and associations	ne
Becker, R., Mebold, U., Reif, K., van Woerden, H.	21	Evolutionary constraints for young stellar clusters. II. The	
H I observations of the massive spiral galaxy NGC 5635	20	case of NGC 1866	29
Saglia R.P., Sancisi, R.	28	Brocato, E., Castellani, V.	29

The radio continuum emission of bright galaxies with

Selby, M.J., Arribas, S.

Formation, structure and evolution of stars		51 Ophiuchi (B9.5Ve): A Be star in the class of β Pictoris	
IRAS low-resolution spectra of cool carbon stars. II. Stars with thin circumstellar shells		stars? Waters, L.B.F.M., Coté, J., Geballe, T.R.	348
Willems, F.J.	51	The relation between rotational velocity and mass-loss for massive stars	
IRAS low-resolution spectra of cool carbon stars. III. Stars with thick circumstellar shells		Nieuwenhuijzen, H., de Jager, C.	355
Willems, F.J.	65	Dust emission from symbiotic stars: an interpretation of	
Comparative study of evolutionary tracks of massive stars		IRAS observations Anandarao, B.G., Taylor, A.R., Pottasch, S.R.	361
de Loore, C.	71	Diffuse matter in space (including HII regions and planetary	
Analysis of the optical light curve of LMC X-3 Kuiper, L., van Paradijs, J., van der Klis, M.	79	nebulae)	
Optical and infrared observations of IRC+10216 and related objects. Dust shells modelling		The intrinsic profiles of five diffuse interstellar bands Westerlund, B.E., Krelowski, J. (BN) Remarks ble condidates for the configure of the diffuse	134
Le Bertre, T.	85	(RN) Remarkable candidates for the carrier of the diffuse interstellar bands: C_{60}^+ and other polyhedral carbon ions	
Molecular distributions in the GGD 12-15 region Heaton, B.D., Andersson, M., Dent, W.R.F.,	00	Léger, A., d'Hendecourt, L., Verstraete, L., Schmidt, W.	145
Little, L.T.	99	Scattered light between 2 and 13 arcmin from ζ Orionis in	
Coupling of an accretion disk corona with a weakly mag- netic neutron star and a possible relation with quasi- periodic oscillations		the 1200 to 3000 Å wavelength range de Boer, K.S., Kuss, C.	149
Stollman, G.M., Kuperus, M.	104	Ammonia towards IRAS sources in the Orion and Ce-	
Mass segregation and formation of X-ray sources in globular clusters		pheus clouds Wouterloot, J.G.A., Walmsley, C.M., Henkel, C.	367
Verbunt, F., Meylan, G.	297	The Sun	
Variable C: an S Doradus-type variable in M 33			
Humphreys, R.M., Leitherer, C., Stahl, O., Wolf, B., Zickgraf, FJ.	306	Hydrodynamic Green's functions for atmospheric oscilla- tions Brandenburg, A.	154
100 TeV gamma radiation from SN 1987 A as a probe of		Differential cloud models for solar velocity field measure-	
pulsar acceleration Berezinsky, V.S., Castagnoli, C., Navarra, G.	317	ments	
Gravitational wave background from a sample of 330+4		Mein, P., Mein, N.	162
pulsars Barone, F., Milano, L., Pinto, I., Russo, G.	322	Solar photospheric abundance of iridium Youssef, N.H., Khalil, N.M.	378
Radial velocity measurements of a sample of northern		Comparison of the differential rotation laws and meridio-	
metal-deficient stars		nal motions determined from sunspot positions taken from	
Jasniewicz, G., Mayor, M.	329	the Greenwich Photoheliographic Results, the drawings of G. Spörer, and the Kanzelhöhe data	
Staller atmospheres		Balthasar, H., Fangmeier, E.	381
Stellar atmospheres			
Line variations in the ultra-violet spectrum of the Ap-Si star HD 25823		The solar system	
Artru, MC., Freire-Ferrero, R.	111	Comparison of Bretagnon's VSOP 82 theory with observa-	
IUE observations of high galactic latitude F supergiants HD 161796 and HD 187885		tions of Uranus Gomes, R.S., Ferraz-Mello, S.	170
Parthasarathy, M., Pottasch, S.R., Wamsteker, W.	117	Water vapor and hydroxyl distributions in the inner coma	
Abundances of the rare-earth elements in the giant Am star HR 178		of comet P/Halley measured by the Vega 2 three-channel spectrometer TKS	
van 't Veer-Menneret, C., Burkhart, C., Coupry, M.F.	123	Krasnopolsky, V.A., Tkachuk, A.Yu., Moreels, G., Gogoshev, M.	175
Erratum: The rapidly rotating spotted red dwarf flare star Gliese 890		The origin of the ions at 28 million km upstream of comet P/Halley	110
Pettersen, B.R., Lambert, D.L., Tomkin, J.,	210	Konno, I.	385
Sandmann, W.H., Huang, L. Stellon integrated Surger for 216 steep in the manufactor.	210		
Stellar integrated fluxes for 216 stars in the wavelength range 380 nm-900 nm Petford, A.D., Blackwell, D.E., Booth, A.J.,		Celestial mechanics and astrometry	
Haddock, D.J., Leggett, S.K., Mountain, C.M.		Statistical analysis of the errors in visual double star observations. II. "New-generation" observers	

341

Pannunzio, R., Massone, G., Morbidelli, R.

388

203

Physical and chemical processes	nd chemical	and	Physical
---------------------------------	-------------	-----	----------

Some properties of the solutions of a non-linear boundary value problem for a force-free field in an infinite region of space. I. Energy estimates

Aly, J.J. 183

(RN) Effective collision strengths for fine-structure forbidden transitions in the 3p³ configuration of K v Butler, K., Zeippen, C.J., Le Bourlot, J. 189

Instruments, data processing, and computational methods

Continuously movable telescopes for optical interferometry

Vivekanand, M., Morris, D., Downes, D. 195

High precision photometry: the electron bombarded diode approach

Cuby, J.G., Baudrand, J., Chevreton, M.

(RN) Precautions to take when using the IRAS-LRS catalogue: spurious 12.8 µm [NeII] line and other features

de Muizon, M., Cox, P., Lequeux, J. 207

Radio-holographic reflector measurement of the 30-m millimeter radio telescope at 22 GHz with a cosmic signal source.

Morris, D., Baars, J.W.M., Hein, H., Steppe, H, Thum, C., Wohlleben, R. 399